

Verification of Compliance

Product Name : AC/DC SWITCHING ADAPTOR
Brand Name : MEAN WELL
Model Number : GSM40Ax(x=05, 07, 09, 12, 15, 18, 24, 48),
GSM60Ax(x=05, 07, 09, 12, 15, 18, 24, 48), GSM40A48-CIS
Applicant : MEAN WELL ENTERPRISES CO., LTD.
Address : No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248,
Taiwan (R.O.C.)
Report Number : S2C-M020-1302-120
Issue Date : November 12, 2015
Applicable Standards :

Emission :

EN 55011:2009+A1:2010
Group 1, Class B
EN 55022:2010 Class B
EN 61000-6-3:2007+A1:2011
EN 61000-3-2:2014
EN 61000-3-3:2013
EN 61204-3:2000 Class B

Immunity :

EN 55024 : 2010
EN 61204-3 : 2000 : Low severity level
EN 61000-6-1 : 2007
EN 60601-1-2 : 2007 :Life-supporting Equipment
EN 61000-4-2 : 2009
EN 61000-4-3 : 2006+A1 : 2008+A2 : 2010
EN 61000-4-4 : 2012
EN 61000-4-5 : 2014
EN 61000-4-6 : 2014
EN 61000-4-8 : 2010
EN 61000-4-11 : 2004

Based on the EMC Directive 2014/30/EU, Medical Device Directive 93/43/EEC and the specifications of the customer, one sample of the designated product has been tested in our laboratory and found to be in compliance with the EMC standards cited above.



TAF 0905
FCC CAB Code TW1053
NVLAP Lab Code 200575-0
IC Code 4699A
VCCI Accep. No. R-1527, C-1609, T-1441, G-10,
C-4400, T-1334, G-614



Central Research Technology Co.
EMC Test Laboratory
11, Lane41, Fushuen St., Jungshan Chiu,
Taipei, Taiwan, 104, R.O.C.
Tel : 886-2-25984568
Fax: 886-2-25984546

(Tsun-Yu Shih/ General Manager)

Date: November 12, 2015